

Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Book

Search PubMed for robbins and haemophilus Go Clear

Limits Preview/Index History Clipboard Details

Display Summary Show: 20 Sort Send to Text

Items 1 - 20 of 76

Page 1 of 4 Ne

About Entrez

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Catalog

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

☐ 1: [Morrissey L, Burnett R, Viljoen L, Robbins M.](#)[Related Articles](#), [Li](#)

Surveillance of the susceptibility of ocular bacterial pathogens to the fluoroquinolone gatifloxacin and other antimicrobials in Europe during 2001/2002.

J Infect. 2004 Aug;49(2):109-14.

PMID: 15236917 [PubMed - indexed for MEDLINE]

☐ 2: [Gu XX, Rudy SF, Chu C, McCullagh L, Kim HN, Chen J, Li J, Robbins JB, Van Waes C, Battey JF.](#)[Related Articles](#), [Li](#)

Phase I study of a lipooligosaccharide-based conjugate vaccine against nontypeable Haemophilus influenzae.

Vaccine. 2003 May 16;21(17-18):2107-14.

PMID: 12706701 [PubMed - indexed for MEDLINE]

☐ 3: [Sun J, Chen J, Cheng Z, Robbins JB, Battey JF, Gu XX.](#)[Related Articles](#), [Li](#)

Biological activities of antibodies elicited by lipooligosaccharide based-conjugate vaccines of nontypeable Haemophilus influenzae in an otitis media model.

Vaccine. 2000 Jan 18;18(13):1264-72.

PMID: 10649628 [PubMed - indexed for MEDLINE]

☐ 4: [Robbins JB, Schneerson R, Szu SC, Bryla DA, Lin FY, Gotschlich EC.](#)[Related Articles](#), [Li](#)

Standardization may suffice for licensure of conjugate vaccines.

Dev Biol Stand. 1998;95:161-7. Review.

PMID: 9855427 [PubMed - indexed for MEDLINE]

☐ 5: [Felmingham D, Robbins MJ, Tesfaslasie Y, Harding I, Shrimpton S, Gruneberg RN.](#) [Related Articles](#), [Li](#)

Antimicrobial susceptibility of community-acquired lower respiratory tract bacterial pathogens isolated in the UK during the 1995-1996 cold season.

J Antimicrob Chemother. 1998 Mar;41(3):411-5.

PMID: 9578171 [PubMed - indexed for MEDLINE]

☐ 6: [Gu XX, Chen J, Barenkamp SJ, Robbins JB, Tsai CM, Lim DJ, Battey J.](#)[Related Articles](#), [Li](#)

Synthesis and characterization of lipooligosaccharide-based conjugates as vaccine candidates for Moraxella (Branhamella) catarrhalis.

Infect Immun. 1998 May;66(5):1891-7.

PMID: 9573066 [PubMed - indexed for MEDLINE]

☐ 7: [Gu XX, Sun J, Jin S, Barenkamp SJ, Lim DJ, Robbins JB, Battey J.](#)[Related Articles](#), [Li](#)

Detoxified lipooligosaccharide from nontypeable Haemophilus influenzae conjugated to proteins confers protection against otitis media in chinchillas.

Infect Immun. 1997 Nov;65(11):4488-93.

PMID: 9353024 [PubMed - indexed for MEDLINE]

☐ 8:[Felmingham D, Robbins MJ, Ingley K, Mathias I, Bhogal H, Leakey A, Ridgway](#)[Related Articles](#), [Li](#)

GL, Gruneberg RN.



In-vitro activity of trovafloxacin, a new fluoroquinolone, against recent clinical isolates.
J Antimicrob Chemother. 1997 Jun;39 Suppl B:43-9.
PMID: 9222069 [PubMed - indexed for MEDLINE]

☐ **9:** Robbins JB, Schneerson R, Anderson P, Smith DH.

Related Articles, Li



The 1996 Albert Lasker Medical Research Awards. Prevention of systemic infections, especially meningitis, caused by Haemophilus influenzae type b. Impact on public health and implications for other polysaccharide-based vaccines.
JAMA. 1996 Oct 9;276(14):1181-5.
PMID: 8827975 [PubMed - indexed for MEDLINE]

☐ **10:** Gu XX, Tsai CM, Ueyama T, Barenkamp SJ, Robbins JB, Lim DJ.

Related Articles, Li



Synthesis, characterization, and immunologic properties of detoxified lipooligosaccharide from nontypeable Haemophilus influenzae conjugated to proteins.
Infect Immun. 1996 Oct;64(10):4047-53.
PMID: 8926067 [PubMed - indexed for MEDLINE]

☐ **11:** Claesson BA, Trollfors B, Anderson PW, Johansson J, Taranger J, Schneerson R, Robbins JB.

Related Articles, Li



Serum antibodies in six-year-old children vaccinated in infancy with a Haemophilus influenzae type b-tetanus toxoid conjugate vaccine.
Pediatr Infect Dis J. 1996 Feb;15(2):170-2. No abstract available.
PMID: 8822293 [PubMed - indexed for MEDLINE]

☐ **12:** Avanzini MA, Bjorkander J, Soderstrom R, Soderstrom T, Schneerson R, Robbins JB, Hanson LA.

Related Articles, Li



Qualitative and quantitative analyses of the antibody response elicited by Haemophilus influenzae type b capsular polysaccharide-tetanus toxoid conjugates in adults with IgG subclass deficiencies and frequent infections.
Clin Exp Immunol. 1994 Apr;96(1):54-8.
PMID: 8149666 [PubMed - indexed for MEDLINE]

☐ **13:** Yang YH, Jiang ZF, Chen XN, Jiang QB, Zhang GR, Shen XZ, Peng H, Schneerson R, Robbins JB.

Related Articles, Li



Countercurrent immunoelectrophoresis for diagnosis of acute bacterial pneumonia in Chinese children.
Chin Med J (Engl). 1993 Feb;106(2):105-9.
PMID: 8504692 [PubMed - indexed for MEDLINE]

☐ **14:** Claesson BA, Schneerson R, Lagergard T, Trollfors B, Taranger J, Johansson J, Bryla D, Robbins JB.

Related Articles, Li



Persistence of serum antibodies elicited by Haemophilus influenzae type b-tetanus toxoid conjugate vaccine in infants vaccinated at 3, 5 and 12 months of age.
Pediatr Infect Dis J. 1991 Aug;10(8):560-4.
PMID: 1891286 [PubMed - indexed for MEDLINE]

☐ **15:** Robbins JB, Schneerson R.

Related Articles, Li



Evaluating the Haemophilus influenzae type b conjugate vaccine PRP-D.
N Engl J Med. 1990 Nov 15;323(20):1415-6. No abstract available.
PMID: 2233910 [PubMed - indexed for MEDLINE]

☐ **16:** Claesson BA, Schneerson R, Trollfors B, Lagergard T, Taranger J, Robbins JB.

Related Articles, Li



Duration of serum antibodies elicited by Haemophilus influenzae type b capsular polysaccharide alone or conjugated to tetanus toxoid in 18- to 23-month-old children.

J Pediatr. 1990 Jun;116(6):929-31. No abstract available.
PMID: 2348298 [PubMed - indexed for MEDLINE]

☐ **17:** [Robbins JB, Schneerson R.](#)

[Related Articles](#), [List](#)



Polysaccharide-protein conjugates: a new generation of vaccines.
J Infect Dis. 1990 May;161(5):821-32. Review. No abstract available.
PMID: 2182727 [PubMed - indexed for MEDLINE]

☐ **18:** [Sarnaik S, Kaplan J, Schiffman G, Bryla D, Robbins JB, Schneerson R.](#)

[Related Articles](#), [List](#)



Studies on Pneumococcus vaccine alone or mixed with DTP and on Pneumococcus type 6B and Haemophilus influenzae type b capsular polysaccharide-tetanus toxoid conjugates in two- to five-year-old children with sickle cell anemia.
Pediatr Infect Dis J. 1990 Mar;9(3):181-6. Erratum in: Pediatr Infect Dis J 1990 May;9(5):308.
PMID: 2336298 [PubMed - indexed for MEDLINE]

☐ **19:** [Robbins MJ, Baskerville AJ, Sanghrajka M, Mumtaz G, Felmingham D, Ridgway GL, Gruneberg RN.](#)

[Related Articles](#), [List](#)



Comparative in vitro activity of lomefloxacin, a difluoro-quinolone.
Diagn Microbiol Infect Dis. 1989 May-Jun;12(3 Suppl):65S-76S.
PMID: 2791500 [PubMed - indexed for MEDLINE]

☐ **20:** [Claesson BA, Schneerson R, Robbins JB, Johansson J, Lagergard T, Taranger J, Bryla D, Levi L, Cramton T, Trollfors B.](#)

[Related Articles](#), [List](#)



Protective levels of serum antibodies stimulated in infants by two injections of Haemophilus influenzae type b capsular polysaccharide-tetanus toxoid conjugate.
J Pediatr. 1989 Jan;114(1):97-100. No abstract available.
PMID: 2783345 [PubMed - indexed for MEDLINE]

Items 1 - 20 of 76

Page

1

of 4 Ne

Display

Summary

Show:

20

Sort

Send to

Text


[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Nov 8 2004 18:



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Book

Search PubMed for Go Clear

Limits Preview/Index History Clipboard Details

Display Summary Show: 20 Sort Send to Text

Items 1 - 20 of 206

Page 1 of 11 Ne








About Entrez

Text Version

Entrez PubMed
Overview
Help | FAQ
Tutorial
New/Noteworthy
E-Utilities


PubMed Services
Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
LinkOut
Cubby

Related Resources
Order Documents
NLM Catalog
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central


- ☐ 1: [Gu XX, Sun J, Jin S, Barenkamp SJ, Lim DJ, Robbins JB, Battey J.](#) Related Articles, Li
 Detoxified lipooligosaccharide from nontypeable *Haemophilus influenzae* conjugated to proteins confers protection against otitis media in chinchillas.
Infect Immun. 1997 Nov;65(11):4488-93.
PMID: 9353024 [PubMed - indexed for MEDLINE]
- ☐ 2: [Gu XX, Tsai CM, Ueyama T, Barenkamp SJ, Robbins JB, Lim DJ.](#) Related Articles, Li
 Synthesis, characterization, and immunologic properties of detoxified lipooligosaccharid from nontypeable *Haemophilus influenzae* conjugated to proteins.
Infect Immun. 1996 Oct;64(10):4047-53.
PMID: 8926067 [PubMed - indexed for MEDLINE]
- ☐ 3: [Sun J, Chen J, Cheng Z, Robbins JB, Battey JF, Gu XX.](#) Related Articles, Li
 Biological activities of antibodies elicited by lipooligosaccharide based-conjugate vaccines of nontypeable *Haemophilus influenzae* in an otitis media model.
Vaccine. 2000 Jan 18;18(13):1264-72.
PMID: 10649628 [PubMed - indexed for MEDLINE]
- ☐ 4: [Wu TH, Gu XX.](#) Related Articles, Li
 Outer membrane proteins as a carrier for detoxified lipooligosaccharide conjugate vaccines for nontypeable *Haemophilus influenzae*.
Infect Immun. 1999 Oct;67(10):5508-13.
PMID: 10496940 [PubMed - indexed for MEDLINE]
- ☐ 5: [DeMaria TF, Murwin DM, Leake ER.](#) Related Articles, Li
 Immunization with outer membrane protein P6 from nontypeable *Haemophilus influenzae* induces bactericidal antibody and affords protection in the chinchilla model of otitis media.
Infect Immun. 1996 Dec;64(12):5187-92.
PMID: 8945564 [PubMed - indexed for MEDLINE]
- ☐ 6: [Green BA, Vazquez ME, Zlotnick GW, Quigley-Reape G, Swarts JD, Green I, Cowell JL, Bluestone CD, Doyle WJ.](#) Related Articles, Li
 Evaluation of mixtures of purified *Haemophilus influenzae* outer membrane proteins in protection against challenge with nontypeable *H. influenzae* in the chinchilla otitis media model.
Infect Immun. 1993 May;61(5):1950-7.
PMID: 8478084 [PubMed - indexed for MEDLINE]
- ☐ 7: [Barenkamp SJ.](#) Related Articles, Li
 Immunization with high-molecular-weight adhesion proteins of nontypeable *Haemophilus influenzae* modifies experimental otitis media in chinchillas.
Infect Immun. 1996 Apr;64(4):1246-51.

PMID: 8606086 [PubMed - indexed for MEDLINE]


- ☐ **8:** [Hu WG, Chen J, Battey JF, Gu XX.](#) Related Articles, Li

 Enhancement of clearance of bacteria from murine lungs by immunization with detoxified lipooligosaccharide from *Moraxella catarrhalis* conjugated to proteins.
Infect Immun. 2000 Sep;68(9):4980-5.
PMID: 10948114 [PubMed - indexed for MEDLINE]


- ☐ **9:** [Gu XX, Chen J, Barenkamp SJ, Robbins JB, Tsai CM, Lim DJ, Battey J.](#) Related Articles, Li

 Synthesis and characterization of lipooligosaccharide-based conjugates as vaccine candidates for *Moraxella (Branhamella) catarrhalis*.
Infect Immun. 1998 May;66(5):1891-7.
PMID: 9573066 [PubMed - indexed for MEDLINE]


- ☐ **10:** [Hirano T, Hou Y, Jiao X, Gu XX.](#) Related Articles, Li

 Intranasal immunization with a lipooligosaccharide-based conjugate vaccine from nontypeable *Haemophilus influenzae* enhances bacterial clearance in mouse nasopharynx.
FEMS Immunol Med Microbiol. 2003 Jan 21;35(1):1-10.
PMID: 12589951 [PubMed - indexed for MEDLINE]


- ☐ **11:** [Yang YP, Loosmore SM, Underdown BJ, Klein MH.](#) Related Articles, Li

 Nasopharyngeal colonization with nontypeable *Haemophilus influenzae* in chinchillas.
Infect Immun. 1998 May;66(5):1973-80.
PMID: 9573078 [PubMed - indexed for MEDLINE]


- ☐ **12:** [Ueyama T, Gu XX, Tsai CM, Karpas AB, Lim DJ.](#) Related Articles, Li

 Identification of common lipooligosaccharide types in isolates from patients with otitis media by monoclonal antibodies against nontypeable *Haemophilus influenzae* 9274.
Clin Diagn Lab Immunol. 1999 Jan;6(1):96-100.
PMID: 9874671 [PubMed - indexed for MEDLINE]


- ☐ **13:** [Hou Y, Gu XX.](#) Related Articles, Li

 Development of peptide mimotopes of lipooligosaccharide from nontypeable *Haemophilus influenzae* as vaccine candidates.
J Immunol. 2003 Apr 15;170(8):4373-9.
PMID: 12682274 [PubMed - indexed for MEDLINE]


- ☐ **14:** [Yamaguchi T, DeMaria TF, Lim DJ.](#) Related Articles, Li

 Cross-reactive antibodies in type b and nontypeable *Haemophilus influenzae*-induced experimental otitis media.
Ann Otol Rhinol Laryngol. 1987 May-Jun;96(3 Pt 1):325-9.
PMID: 3496841 [PubMed - indexed for MEDLINE]

- ☐ **15:** [Gu XX, Rudy SF, Chu C, McCullagh L, Kim HN, Chen J, Li J, Robbins JB, Van Waes C, Battey JF.](#) Related Articles, Li

 Phase I study of a lipooligosaccharide-based conjugate vaccine against nontypeable *Haemophilus influenzae*.
Vaccine. 2003 May 16;21(17-18):2107-14.
PMID: 12706701 [PubMed - indexed for MEDLINE]

- ☐ **16:** [Akkoyunlu M, Melhus A, Capiou C, van Opstal O, Forsgren A.](#) Related Articles, Li

 The acylated form of protein D of *Haemophilus influenzae* is more immunogenic than the nonacylated form and elicits an adjuvant effect when it is used as a carrier

conjugated to polyribosyl ribitol phosphate.
Infect Immun. 1997 Dec;65(12):5010-6.
PMID: 9393790 [PubMed - indexed for MEDLINE]

☐ 17: [Snow JB Jr.](#)

[Related Articles](#), [Li](#)



Progress in the prevention of otitis media through immunization.
Otol Neurotol. 2002 Jan;23(1):1-2.
PMID: 11773835 [PubMed - indexed for MEDLINE]

☐ 18: [Melhus A](#), [Hermansson A](#), [Forsgren A](#), [Prellner K](#).

[Related Articles](#), [Li](#)



A resolved pneumococcal infection protects against nontypeable *Haemophilus influenzae*: an evaluation of different routes of whole cell immunization in protection against experimental acute otitis media.
Int J Pediatr Otorhinolaryngol. 1997 Mar 6;39(2):119-31.
PMID: 9104620 [PubMed - indexed for MEDLINE]

☐ 19: [Bakaletz LO](#), [Tallan BM](#), [Andrzejewski WJ](#), [DeMaria TF](#), [Lim DJ](#).

[Related Articles](#), [Li](#)



Immunological responsiveness of chinchillas to outer membrane and isolated fimbrial proteins of nontypeable *Haemophilus influenzae*.
Infect Immun. 1989 Oct;57(10):3226-9.
PMID: 2570753 [PubMed - indexed for MEDLINE]

☐ 20: [Kennedy BJ](#), [Novotny LA](#), [Jurcisek JA](#), [Lobet Y](#), [Bakaletz LO](#).

[Related Articles](#), [Li](#)



Passive transfer of antiserum specific for immunogens derived from a nontypeable *Haemophilus influenzae* adhesin and lipoprotein D prevents otitis media after heterologous challenge.
Infect Immun. 2000 May;68(5):2756-65.
PMID: 10768970 [PubMed - indexed for MEDLINE]

Items 1 - 20 of 206

Page

1

of 11 Ne

Display

Summary

Show:

20

Sort

Send to

Text

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Nov 8 2004 18: